File Original and First Copy with Department of Ecology Second Copy — Owner's Copy Third Copy — Driller's Copy

WATER WELL REPORT STATE OF WASHINGTON

Application No.

 			 _
F	Permit No.	 	

(1) OWNER: Name Willian Gars	Address 4310 43 not Aux	N. Seal	Sle 980
2) LOCATION OF WELL: County \$116.00	_ 5 F 46 4 Sec 3	124N R	3 w.m.
Bearing and distance from section or subdivision corner 660 4	1 600 1 000		
	(10) WELL LOG:		
3) PROPOSED USE: Domestic Industrial Municipal Irrigation Test Well Other	Formation: Describe by color, character, size of show thickness of aquifers and the kind and na stratum penetrated, with at least one entry for	material and structure of the material	cture, and al in each formation.
4) TYPE OF WORK: Owner's number of well (if more than one)	MATERIAL	FROM	TO
New well Method: Dug 🔲 Bored 🗆	Top Soil	C	3
Deepened Cable Driven C	Hara Pan	3	62
Reconditioned Rotary Jetted	Sand Or.	42	93
5) DIMENSIONS: Diameter of well	Clark Dive	82	147
Drilled 9 4 ft. Depth of completed well ft.	Sans Or.	147	162
A) CONCEDITORION DETIALIC.	Clay Mus	142	184
6) CONSTRUCTION DETAILS:	sand w. w.	184	194
Casing installed: 6 "Diam from 6 n to 196 n	Clay Plus	196	3/3
Threaded Diam. from ft. to ft. Welded Diam. from ft. to ft.			
Welded [
Perforations: Yes 🗇 No 🗗			
Type of perforator used.	·		
SIZE of perforations in. by in. perforations from ft. to ft.			-
perforations from			
perforations from ft. to ft.			
S		+	
Screens: Yes No O Cock Manufacturer's Name Cock			
Type S. S. CCCC Model No			
Diam, Slot size 5 from 184 ft. to 194 ft.			
Diam. Siot size from ft, to ft.	Fire		
Gravel packed: Yes No Size of gravel:			
Gravel placed fromft. toft			
Surface seal: Yes No To what depth? 10 the Material used in seal Dealer Co Clay	The state of the s		
Material used in seal			
Type of water? Depth of strata			
Method of sealing strata off			
(7) PUMP: Manufacturer's Name			
Type: HP			 -
	-		
(8) WATER LEVELS: Land-surface elevation 175 m			
Static level /57' ft. below top of well Date.			
Artesian pressurelbs. per square inch Date			
(Cap, valve, etc.)	_		
(9) WELL TESTS: Drawdown is amount water level is	1/201 102/ 001	2/4	10 8 /
(9) WELL TESTS: lowered below static level Was a pump test made? Yes No lif yes, by whom?	Work started Comple	tea	, 10
Yield: 5 % gal./min. with 43 ft. drawdown after 44 hrs	WELL DRILLER'S STATEMENT:		
n n n	_ This well was drilled under my juris	diction and this	report is
n 0 0 0	true to the best of my knowledge and	pellei.	
Recovery data (time taken as zero when pump turned off) (water level measured from well top to water level)	1 Date O. 11.15.		
Time Water Level Time Water Level Time Water Level	NAME Down firm, or corporation	n) (Type or p	print)
	(
	Address R.C. Nex 5 5 F	TIGAN	
		1/	
Date of test	[Signed] (Well Dri	Territory	,,
Bailer test gal/min. with ft drawdown after hr	* 1	- 1·	~ .
Artesian flowg.p.m. Date	License No. 242 Date	R/U	, 1917
Temperature of water was a entitled about the total	•		



Location marked on air photo (please attach)

Well Tagging Form

GPS'd by:

Unique Well Tag No: AKY706 RECORD VERIFICATION (check / one) Well Report available (please attach this form to the well report and submit it to the Ecology Regional Office near you) Verification inconclusive Well Report not available WELL OWNERSHIP IF DIFFERENT FROMWELL REPORTS RECEIVED Name: Gore Woods APR 0 5 2007 Street Address: DEPT. OF ECOLOGY City: Langley State: WA WELL-EOCATION IF DIFFERENT FROM WELL REPORT Well Address: 3663 Paris Pl/R32934-143-0120 City: Clinton County: Island T: 29N R. 03E W.M. Sec. 34 NW 1/4 of the SW 1/4 FOR AGENCY USE ONLY **GPS** Latitude: 47 57.2943 Topographic Map Longitude: 122 24.91599 Survey Computer generated Elevation at land surface 325 (feet) meters (circle one) Digital Altimeter Topographic Map Additional Information, if available: Other: Computer Generated from **DEM and GPS XY Coordinates** Location marked on topographic map (please attach) Tag placed and well

FOR AGENCY USE ONLY

WELL CHARACTERISTICS

Physica	al Descr	iption of	well (siz	e of casing, type of well, housing, etc.)
<u>Take F</u>	iske Rd	Down. (Go Right	On Paris. Road Forks, Stay Left. Pumphouse Is Next To Gray Castle
				·•
Locatio	n of We	ell Identif	ication T	ag:
Was su	ippleme	ntal tag	needed	for easy of identifying well? Yes No
If yes, w	here wa	ás tag pla	aced?	
	a september of the second	,	T	
D	C	В.	Α	
_	_			
E	F	G	H	SECTION: 29N/03E-34
М•	L	K	J	•
N	P	Q	R	
	F	Q	IX	
COMM	IENTS:			
				· · · · · · · · · · · · · · · · · · ·
		E@@		BY WATER RESOURCES PROGRAM ONLY
· · · · · · · · · ·				DI VVANSK KISOVUKOES FKUSKINI QINLI

Water Right #	`. 	•	Date Issued:	
_	 -		-	

Circle One:

Application

Permit

Certificate

Claim

Exempt

29/15-35 R

File Original and First Copy with Department of Ecology Second Copy — Owner's Copy Third Copy — Driller's Copy

WATER WELL REPORT STATE OF WASHINGTON

Application No.

(1) OWNER: Name William Gors	Address 4310 43 not Aux N.	Sea Isla 99
2) LOCATION OF WELL: County 116ng	_ 5 F 16 16 50.33 729	IN, R. 3 WM
Bearing and distance from section or subdivision corner 660 4		
3) PROPOSED USE: Domestic Industrial Municipal	(10) WELL LOG:	
Irrigation [Test Well [Other [Formation: Describe by color, character, size of material a show thickness of aquifers and the kind and nature of the stratum penetrated, with at least one entry for each character.	ind structure, and material in each mae of formation.
4) TYPE OF WORK: Owner's number of well (if more than one)		FROM TO
New well # Mathod: Dug		0 3
Deepened □ Cable □ Driven □ Reconditioned □ Rotary ■ Jetted □	lad and On m	3 62
	Sand Or.	62 93
Drilled / 9 4 ft. Depth of completed well finches		2 147
Drilled	-	167 162
6) CONSTRUCTION DETAILS:	Clay Mix	192 18 4
Casing installed: 4 " Diam. from 6 n. to 196 n	Sand w. w.	196 318
Threaded Diam. from ft. to ft.		140
Welded Diam. from ft. to ft.		
Perforations: Yes 🗆 No 🗿		
Type of perforator used		
SIZE of perforations from ft. to ft.		/ED
perforations from ft. to ft	3.	
perforations from ft. to ft.	- AFR 0 5 2	2007
Screens: Yes No 🗆		
Manufacturer's Name Lock	DEPT. OF EC	OLOGY
Tune 5. 5. WCC Model No		
Diam. 4. Slot size 5. from 194 ft. to 194 ft		
Dlam Slot size from ft, to ft		
Gravel packed: Yes No Size of gravel:		
Gravel placed from ft. to ft.		
Surface seal: Yes No To what depth? TO Material used in seal Deall ALL & Cley Did any strata contain unusable water? Yes No Type of water? Depth of strata Method of sealing strata off		
7) PUMP: Manufacturer's Name		
	-	
above mean sea level		
static level 153' ft. below top of well Date		
Artesian water is controlled by		
(Cap, valve, etc.)	-	
9) WELL TESTS: Drawdown is amount water level is lowered below static level	Work started //2 C/ 198/. Completed 2	16 8
Vas a pump test made? Yes No 🗌 If yes, by whom?	WELL DOLLED'S STATEMENT	
ield: 5 /2 gal./min. with (4) ft. drawdown after 4 hr	- 	
	This well was drilled under my jurisdiction ar	id this report is
<u>" </u>	- } - T	
tecovery data (time taken as zero when pump turned off) (water level measured from well top to water level) Time Water Level Time Water Level Time Water Level	NAME DE W Prill Inc	
Time Water Doors	(Person, nrm, or corporation) (13	ype or print)
	Address P.C. Nex 5 5 Foot 19	A SI
		,
Date of test	[Signed] () ams 3. 5 Refre	~
Sailer testgal./min. withft. drawdown afterhr	•. (Well Driller)	
Artesian flow g.p.m. Date		1981
l'emperature of water Was a chemical analysis made? Yes 🥊 No (U ====================================	